

#### NSF International / Nonfood Compounds Registration Program

December 04, 2018

Mrs. Marlies Schiebenes Adolf Würth GmbH & Co. KG Reinhold-Würth-Str. 12-16 Baden-Württemberg 74650 Künzelsau Germany

**RE:** 089309\_0893090\_08930900\_0893090030\_SUPER FAST GLUE

Category Code: P1

NSF Registration No.151993

Dear Mrs. Marlies Schiebenes:

NSF has processed the application for Registration of **089309\_0893090\_08930900\_0893090030\_SUPER FAST GLUE** to the *NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds* (2017), which are available upon request by contacting <a href="mailto:NonFood@nsf.org">NonFood@nsf.org</a>. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable for use as an adhesive (P1), in and around food processing areas. The product must only be used in such a manner as to ensure it will have neither direct nor indirect contact with food or potable water. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging materials are re-exposed in the area. Use must be consistent with the manufacturer's directions and warnings.

NSF Registration of this product is current when the NSF Registration Mark and Category Code appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<a href="https://www.nsfwhitebook.org">www.nsfwhitebook.org</a>).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <a href="www.nsfwhitebook.org">www.nsfwhitebook.org</a>. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing. Please contact your NSF Project Manager or <a href="mailto:nonfood@nsf.org">nonfood@nsf.org</a> if you have any questions or concerns pertaining to this letter.

Sincerely,

Carolyn Gillilland

NSF NonFood Compound Registration Program

Company No: N11503

Cardyn Gillillered



#### OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on December 4, 2017.

Adolf Würth GmbH & Co. KG Produktmanagement Chemie, Postfach 74650 Künzelsau Germany 49 794 015 2007

Facility: # 1 Switzerland

#### Joining and Sealing Materials

Trade Designation	Size	Water Water Contact Contact Temp Material
Adhesives		
Würth <sup>®</sup> DOS Lagersicherung hochfest (0893 603)	>= 1/2"	C. HOT ADH
Würth <sup>®</sup> DOS Flächendicht orange (0893 574)	>= 1/2"	C. HOT ADH
Würth <sup>®</sup> DOS Klebfix EASY PEN (0893 090)	>= 1/2"	CLD 23 ADH
Würth® DOS Klebfix (0893 09)	>= 1/2"	CLD 23 ADH
Würth® DOS Schraubensicherung Hochfest	>= 1/2"	C. HOT ADH
Würth® DOS Schraubensicherung Mittelfest	>= 1/2"	C. HOT ADH
Würth Rohrdicht PLUS (0893 577 300)	>= 1/2"	C. HOT ADH
Sealants		
Würth <sup>®</sup> DOS Flächendicht grün (0893 573)	>= 1/2"	C. HOT SLT
Thread Compounds		
Würth® DOS Rohrdicht [1]	>= 1/2"	C. HOT TC
Würth® DOS Schraubensicherung Hochfest	>= 1/2"	C. HOT TC
Würth® DOS Rohrdicht mit PTFE	>= 1/2"	$C_{\pm}$ HOT TC

<sup>[1]</sup> Certification is based on a minimum cure of 72 hours at 75°F.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International. 1 of 1



## **Product declaration**

Gen. information:	
Supplier:	Adolf Würth GmbH & Co. KG Reinhold-Würth-Straße 12-17 74653 Künzelsau
Article information:	
Article description:	Super fast glue Klebfix/Klebfix Pen
Würth art. No.:	0893 09, 0893 090, 0893 090 0, 0893 090 030
Equipment)	of Hazardous Substances)/ WEEE (Waste of Electrical and Electronic
Equipment Substances O <b>Yes No</b>	U, the German Electrical and Electronic Equipment Act (ElektroG), the German Electrical and Electronic rdinance (ElektroStoffV) and all previous versions apply.
Conto	metals  ins lead (Pb) >0.1%  ins mercury (Hg) >0.1%  ins cadmium (Cd) >0.1%  ins chromium VI (Cr(VI)) >0.1%  pominated biphenyls (PBB) >0.1%
contains polybr	ominated diphenyl ethers (PBDE) >0.1%
Conto	ins di(2-ethylhexyl)phthalates (DEHP) >0.1% ins benzyl butyl phthalate (BBP) >0.1% ins dibutyl phthalate (DBP) >0.1% ins diisobutyl phthalate (DIBP) >0.1% ins diisodecyl phthalate (DIDP) >0.1% ins diisononyl phthalate (DINP) >0.1%
REACH SVHC (Subs	tances of Very High Concern)
	tances of Very High Concern as defined by the REACH Regulation (Registration, Evaluation,
Authorization and Restric <b>Yes No</b>	tion of Chemicals) and its previous versions apply.
contains substa	nces of the REACH candidate list (if yes, specify in Other confirmations) tes of the REACH authorization list (if yes, specify in Other confirmations)



ODS (ozone depleting substances)
The Montreal Protocol on Substances that Deplete the Ozone Layer and its amendments apply.
Yes No
contains CFCs contains halons
□ □ contains halons Yes No
contains other fully halogenated CFCs contains carbon tetrachloride
contains 1, 1, 1-trichloroethane (methyl chloroform)
contains hydrochlorofluorocarbons
Contains hydrobromofluorocarbons
contains 1, 1, 1-trichloroethane (methyl chloroform)  contains hydrochlorofluorocarbons  contains hydrobromofluorocarbons  contains methyl bromide
contains bromochloromethane
This is the second of the seco
PIWS (paint-wetting impairment substances)
Note: This confirmation only applies if the product is used properly. It was only inquired whether no paint-wetting impairment
substances were used during manufacturing of the product. The presence of analytically detectable traces of the above
mentioned substances, which have possibly been introduced into the product via the raw materials, auxiliaries and additives,
cannot be excluded. We recommend a preliminary test before use.
Yes No  contains PIWS (paint-wetting impairment substances)
<ul> <li>         ∠ contains PIWS (paint-wetting impairment substances)     </li> <li> <b>Yes No</b> </li> </ul>
contains silicone
VOCs (volatile organic compounds)
EU Directives 2004/42/EC and 2010/75/EU apply.
Yes No
contains solvents. If yes, which ones:
contains other VOCs. If yes, which ones: Ethyl-2-cyanacrylate
MOSH/MOAH (amended by POSH/PAO)
· · · · · · · · · · · · · · · · · · ·
(MOSH: mineral oil saturated hydrocarbons; MOAH: mineral oil aromatic hydrocarbons; POSH: polyolefin oligomeric saturated
hydrocarbons; PAO: poly alpha olefin)
The FDA (Food and Drug Administration) Rule 21 CFR 178.3570, studies of the European Food Safety Authority (EFSA), studies
of the Federal Institute for Risk Assessment (BfR) and all previous versions apply.
Yes No  The product has an NSF H1 approval (if no, move on to the next item, if yes, please continue)
Yes No
contains MOSH (POSH/PAO can also be detected) of the following content:
contains MOAH of the following content:
GMO (genetically modified organism)
EU Directive 1830/2003 and its previous versions apply.
Yes No  contains genetically modified organisms



#### **Allergens**

Annex II to EU Directive 1169/2011, FALCPA (Food Allergen Labeling and Consumer Protection Act), EC Regulation 1223/2009 on cosmetics and all previous versions apply.

Yes	No 🖂		
		contains cer	eals containing gluten, namely: wheat, rye, barley, oats, spelt, kamut or their hybridized strains, and products thereof,
exce	pr	-1	wheathered always a muse in the transfer of
		a) b}	wheat-based glucose syrups including dextrose*; wheat-based maltodextrins*;
		c)	glucose syrups based on barley;
	$\square$	d)	cereals used for making alcoholic distillates including ethyl alcohol of agricultural origin.
H	$\bowtie$		staceans and products thereof.
H	$\bowtie$		gs and products thereof;
			and products thereof, except:
		a)	fish gelatine used as carrier for vitamin or carotenoid preparations;
		b)	fish gelatine or isinglass used as fining agent in beer and wine.
$\mathbb{H}$	X	•	anuts and products thereof.
Ш	$\boxtimes$	contains soy	beans and products thereof, except:
		a)	fully refined soybean oil and fat*
		ь)	natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, and natural D-
			alpha tocopherol succinate from soybean sources;
		c)	vegetable oils derived from phytosterols and phytosterol esters from soybean sources;
		d)	plant stanol esters produced from vegetable oil sterols from soybean sources.
	$\boxtimes$	contains mill	c and products thereof (including lactose), except:
		a)	whey used for making alcoholic distillates including ethyl alcohol of agricultural origin;
_	_	Ь)	lactitol.
Ш	$\boxtimes$		s, namely: almonds ( <i>Amygdalus communis L.</i> ), hazelnuts ( <i>Corylus avellana</i> ), walnuts ( <i>Juglans regia</i> ), cashews
(Ana	cardiu	m occidentale	e), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia
vera)	, maca	ıdamia or Qu	reensland nuts (Macadamia ternifolia), and products thereof, except for nuts used for making alcoholic distillates
inclu		hyl alcohol o	f agricultural origin.
$\sqcup$	$\boxtimes$	contains cele	ery and products thereof.
$\Box$	$\boxtimes$	contains mus	stard and products thereof.
	$\boxtimes$	contains ses	ame seeds and products thereof.
	$\boxtimes$	contains sulp	phur dioxide and sulphites at concentrations of more than 10mg/liter in terms of the total SO3 which are to be
calcu	l <u>ate</u> d f	or products a	is proposed ready for consumption or as reconstituted according to the instructions of the manufacturers.
	$\boxtimes$	contains lupi	ns and products thereof.
	$\boxtimes$	contains mol	luscs and products thereof.
* And	the p	roducts ther	eof, in so far as the process that they have undergone is not likely to increase the level of allergenicity assessed
by El			t product from which they originated.
Ш	$\boxtimes$	contains late	x components
Yes	No		
		L	
		es No	as an approval as a cosmetic (if no, move on to the next item, if yes, please continue)
	Ë		ontains substances from Annex II to EC Regulation 1223/2009
	F		ontains substances from Annex III to EC Regulation 1223/2009 above the threshold limits
	_	‹‹	And the state of t
RSF	/TSE		
			AL E
		ıı Journal of	the European Union EMEA/410/01 Rev. 3, March 2011, and its previous versions apply.
Yes	NO	contains sub	stances of animal origin



0.1			
Othe	r su	nstar	1665

Yes	No	
	$\boxtimes$	contains polychlorinated dibenzodioxins and dibenzofurans PCDD/PCDF
	$\boxtimes$	contains polycyclic aromatic hydrocarbons (PAHs)
	$\boxtimes$	contains substances containing pentachlorophenol (PCP)
	$\boxtimes$	contains plasticizers (if yes, specify in Other confirmations)
	$\boxtimes$	contains substances containing PVC
$\Box$	$\boxtimes$	contains substances containing asbestos
	$\boxtimes$	contains substances/resins containing restn acid
	$\boxtimes$	contains substances containing or releasing formaldehyde
	$\boxtimes$	contains azo dye
$\sqcup$	$\boxtimes$	contains AOXs
$\sqcup$	$\boxtimes$	contains dimethyl fumarate (DMF)
$\Box$	$\boxtimes$	contains alkylphenol ethoxylates (APEO)
$\Box$	$\boxtimes$	contains acids (if yes, specify in Other confirmations)
Ц	$\boxtimes$	contains alkalis (if yes, specify in Other confirmations)
Ш	$\boxtimes$	contains flame retardants
Ш	$\boxtimes$	contains bisphenols
$\sqcup$	$\boxtimes$	contains nanoparticles (size: 1-100nm)
$\Box$	$\boxtimes$	contains quaternary ammonium cation (quats)
	$\boxtimes$	contains chlorinated paraffins

Other confirmations / remarks: [e.g. health-relevant DIN standards, IOS-mat, NSF certification, etc. // enclose document if available]

•

3.5

This document was created electronically on 09.05.2022 and is valid without signature.

# הרבנות דק"ק ברלין גרמניה Rabbinat der JGzB Deutschland Kaschrut Komitee ועד הכשרות

Rabbiner Yitshak Ehrenberg Rabbiner der Jüdischen Gemeinde zu Berlin

הרב יצחק ארנברג הרב ואב"ד דק"ק ברלין

> "ב תמוז תשפ"ג 01.07.2023

#### תעודת כשרות

הנני לאשר בזה כי בדקתי את הרכיבים ותהליך היצור והאריזה של המוצרים: **חומרי ניקוי וגריזים לתעשיית המזון כמפורט ברשימת המוצרים המצורפת לתעודה זו** 

המיוצרים ע"י חברת וורט ב קונצעלזאו, גרמניה ואין הם מכילים, וגם אינם באים במגע עם שום חומרים לא כשרים בעת

לפיכך המוצרים הנ״ל **כשרים פרווה** לכל ימות השנה כולל ימי חג הפסח. תעודה זו בתוקף עד ליום כ״ד סיון תשפ״ד (30.06.2024)

#### Kosher-Certificate

I hereby certify that I inspected the ingredients, production and packing process of:

### See enclosed product sheet

produced by Würth GmbH & Co KG in Künzelsau, Germany and I found that they do not contain, nor come in contact with any non-kosher substances in the course of production and packing. They are therefore Kosher Parve for the whole year including for the Passover days.

This certificate is valid until June 30th, 2024.

הרב יצחק ארנברג Rabbiner Y. Ehrenberg

Passauer Str. 4, 10789 Berlin Tel: + 49 (0) 30 211 22 73, Fax: + 49 (0) 30 214 777 22 rabbi.ehrenberg@gmail.com

# הרבנות דק"ק ברלין גרמניה Rabbinat der JGzB Deutschland Kaschrut Komitee ועד הכשרות

Rabbiner Yitshak Ehrenberg Rabbiner der Jüdischen Gemeinde zu Berlin

הרב יצחק ארנברג הרב ואב"ד דק"ק ברלין

#### **Product List**

0890 107 05 Power cleaner for assembly 0890 109 6 Cleaning fluid multiclean 0890 900 90 Universal cleaning cloth 0893 056 Multi plus maintenance oil 0893 107 001 Foodstuffs lubricant LMS-Fluid 0893 107 002 Multi-purpose grease III 0893 107 502 Multi-purpose grease III 0893 107 502 Multi-purpose grease III 0893 107 252 Multi-purpose grease III 0893 107 003 Multi-purpose grease IV 0893 107 503 Multi-purpose grease IV 0893 107 503 Multi-purpose grease IV 0893 107 253 Multi-purpose grease IV 0893 107 253 Multi-purpose grease IV 0893 107 006 LMS Liquid Premium 0893 107 1 Food safe lubricating oil 0893 107 6 Foodstuffs HHS 0893 121 0 Stainless steel care oil 0893 121 1 Metal restorer 0893 121 2 Stainless steel power cleaner 0893 123 HSP 1400 0893 130 400 Rust remover Rost Off Special 0893 550 000 Slide Wax 0893 140 05 Industry cleaner 0893 121 000 Silicone spray, silicone fluid 0892 550 1-4 Silicone Acetate, food grade 0893 351 000 - 022 Natural stone sealant 4 in 1 0893 237 100 SMP adhesive sealant 0893 237 101 SMP adhesive sealant	0893 237 102 SMP adhesive sealant, XTREME 0893 237 160 SMP adhesive sealant, METALLIC 0893 225 0 adhesive sealant, glass clear 0893 270 025 High-strength screw retainer 0893 270 050 High-strength screw retainer 0893 270 250 High-strength screw retainer 0893 243 025 Medium-strength screw retainer 0893 243 025 Medium-strength screw retainer 0893 243 050 Medium-strength screw retainer 0893 243 250 Medium-strength screw retainer 0893 243 250 Medium-strength screw retainer 0893 603 025 High-strength bearing lock 0893 603 050 High-strength bearing lock 0893 603 250 High-strength bearing lock 0893 573 050 Surface sealant, green 0893 574 050 Surface sealant, green 0893 574 250 Surface sealant, orange 0893 577 050 Medium-strength pipe sealant 0893 511 050 Low-strength pipe sealant with PTFE 0893 511 250 Low-strength pipe sealant with PTFE 0893 09 Super-fast glue 0893 090 Super-fast glue 0893 090 Super-fast glue 0893 090 0 Super-fast glue 0893 090 0 Super-fast glue 0893 093 091 Super-fast glue 2C 0893 093 094 HHS 6000 Plus 0893 106 202 HHS 6000 Plus 0893 106 204 HHS 200 Plus
0893 556 050 Sealing Compound MULTI medium strength	

