www.halal-zertifikat.de E-Mail: info@halal-zertifikat.de Tel.: +49 421 479 38 32



In the name of the most High

# HALAL CERTIFICATE HALAL ZERTIFIKAT – سهادة حلال

Hereby it is declared that the enterprise

Adolf Würth GmbH & Co. KG 74650 Künzelsau, Germany



is certified as halal (りぬ) for following product groups

### Würth Lubricants

(see Appendix)

The mentioned products are classified as pure [tahir] and permitted according to ritual Islamic regulations and therefore evaluated as **halal** ( $\mathcal{J}$  by an audit, documented in a report.

The used raw material, the production and the packaging have been surveyed, examined and approved as halal (J ) by consensus of Islamic scholars. The company Adolf Würth GmbH & Co. KG is therefore entitled, to use the Halal Certificate for its

products.

halal zertifikat de halal zertifikat de

Bremen, 10th March 2023

Dr. Yavuz Özoguz

This Certificate is valid 6.4.2023 - 5.4.2024

Certificate-Register-No. **050424oituoey** 

m-haditec GmbH is cooperations-Partner of Islamic Centre Hamburg (Imam Ali Mosque), Islamisches Bildungs- und Kulturzentrum Österreich (Austria), Enzyklopädie des Islam (eslam.de), Gütesiegel Halal (Germany), Islamic Republic of Iran, Halal Development Council, Halal Research Council, Mufties Council of Russia, Halal Transaction of Omaha

halal

www.halal-zertifikat.de E-Mail: info@halal-zertifikat.de Tel.: +49 421 479 38 32



In the name of the most High

# HALAL CERTIFICATE HALAL ZERTIFIKAT – سهادة حلال

### **Appendix: List of certified products**

| <ul> <li>0893 121 0</li> </ul>   | Stainless Steel Care Oil / Edelstahlpflegeöl                          |
|----------------------------------|---|
| <ul><li>0893 123</li></ul>       | HSP 1400  |
| • 0893 140                       | Industry Cleaner (Aerosol)  |
| <ul> <li>0893 140 05</li> </ul>  | Industry Cleaner (Bulk)   |
| • 0890 107                       | Power Cleaner For Assembly / Montagekraftreiniger (Aerosol)           |
| • 0890 107 003                   | Montagekraftreiniger Plus / Power cleaner for assembly plus (Aerosol) |
| • 0890 107 004                   | Montagekraftreiniger Plus / Power cleaner for assembly plus (Bulk)    |
| • 0890 107 005                   | Montagekraftreiniger Plus / Power cleaner for assembly plus (Bulk)    |
| <ul> <li>0893 107 006</li> </ul> | Montagekraftreiniger Plus / Power cleaner for assembly plus (Bulk)    |
| <ul> <li>0890 107 05</li> </ul>  | Power Cleaner For Assembly / Montagekraftreiniger (Bulk)              |
| • 0893 550 000                   | Slide Wax / Gleit-Wachs   |
| <ul> <li>0893 107 6</li> </ul>   | Foodstuffs HHS / Lebensmittel HHS                                     |
| • 0893 107 1                     | Food Safe Lubricating Oil / Lebensmittelschmieröl                     |
| • 0893 107 001                   | LMS Fluid   |
| • 0893 107 002                   | Multi-purpose grease III / Mehrzweckfett III                          |
| • 0893 107 003                   | Multi-purpose grease IV / Mehrzweckfett IV                            |
| <ul><li>0893 056</li></ul>       | Multi Plus  |
| <ul> <li>0893 106 202</li> </ul> | HHS 6000 Plus   |
| <ul> <li>0890 109 6</li> </ul>   | Multiclean  |
| • 0893 056 000                   | Multi Plus  |
| • 0893 106 203                   | HHS 2000 Plus   |
| • 0893 106 204                   | HHS 200 Plus  |
| • 0893 221 000                   | Silicon-Fluid   |

## הרבנות דק"ק ברלין גרמניה Rabbinat der JGzB Deutschland Kaschrut Komitee ועד הכשרות

Rabbiner Yitshak Ehrenberg Rabbiner der Jüdischen Gemeinde zu Berlin

הרב יצחק ארנברג הרב ואב"ד דק"ק ברלין

> "ב תמוז תשפ"ג 01.07.2023

### תעודת כשרות

הנני לאשר בזה כי בדקתי את הרכיבים ותהליך היצור והאריזה של המוצרים:

חומרי ניקוי וגריזים לתעשיית המזון כמפורט ברשימת המוצרים המצורפת לתעודה זו

. המיוצרים ע"י חברת וורט ב קונצעלזאו, גרמניה ואין הם מכילים, וגם אינם באים במגע עם שום חומרים לא כשרים בעת הייצור והאריזה.

לפיכך המוצרים הנ״ל **כשרים פרווה** לכל ימות השנה כולל ימי חג הפסח. תעודה זו בתוקף עד ליום כ״ד סיון תשפ״ד (30.06.2024)

### Kosher-Certificate

I hereby certify that I inspected the ingredients, production and packing process of:

### See enclosed product sheet

produced by Würth GmbH & Co KG in Künzelsau, Germany and I found that they do not contain, nor come in contact with any non-kosher substances in the course of production and packing. They are therefore Kosher Parve for the whole year including for the Passover days.

This certificate is valid until June 30th, 2024.

הרב יצחק ארנברג Rabbiner Y. Ehrenberg

Passauer Str. 4, 10789 Berlin Tel: +49 (0) 30 211 22 73, Fax: +49 (0) 30 214 777 22 rabbi.ehrenberg@gmail.com

### הרבנות דק"ק ברלין גרמניה Rabbinat der JGzB Deutschland Kaschrut Komitee ועד הכשרות

Rabbiner Yitshak Ehrenberg Rabbiner der Jüdischen Gemeinde zu Berlin

הרב יצחק ארנברג הרב ואב"ד דק"ק ברלין

### **Product List**

| 0890 107 Power cleaner for assembly  |  |
|--|--|
| The second secon | 0893 237 102 SMP adhesive sealant                |
| 0890 107 05 Power cleaner for assembly   | 0893 237 130 SMP adhesive sealant, XTREME        |
| 0890 109 6 Cleaning fluid multiclean   | 0893 237 160 SMP adhesive sealant, METALLIC      |
| 0890 900 90 Universal cleaning cloth   | 0893 225 0 adhesive sealant, glass clear         |
| 0893 056 Multi plus maintenance oil  | 0893 270 025 High-strength screw retainer        |
| 0893 107 001 Foodstuffs lubricant LMS-Fluid  | 0893 270 050 High-strength screw retainer        |
| 0893 107 002 Multi-purpose grease III  | 0893 270 250 High-strength screw retainer        |
| 0893 107 402 Multi-purpose grease III  | 0893 243 025 Medium-strength screw retainer      |
| 0893 107 502 Multi-purpose grease III  | 0893 243 050 Medium-strength screw retainer      |
| 0893 107 252 Multi-purpose grease III  | 0893 243 250 Medium-strength screw retainer      |
| 0893 107 003 Multi-purpose grease IV   | 0893 603 025 High-strength bearing lock          |
| 0893 107 403 Multi-purpose grease IV   | 0893 603 050 High-strength bearing lock          |
| 0893 107 503 Multi-purpose grease IV   | 0893 603 250 High-strength bearing lock          |
| 0893 107 253 Multi-purpose grease IV   | 0893 573 050 Surface sealant, green              |
| 0893 107 006 LMS Liquid Premium  | 0893 573 250 Surface sealant, green              |
| 0893 107 1 Food safe lubricating oil   | 0893 574 050 Surface sealant, orange             |
| 0893 107 6 Foodstuffs HHS  | 0893 574 250 Surface sealant, orange             |
| 0893 121 0 Stainless steel care oil  | 0893 577 050 Medium-strength pipe sealant        |
| 0893 121 1 Metal restorer  | 0893 511 050 Low-strength pipe sealant with PTFE |
| 0893 121 2 Stainless steel power cleaner   | 0893 511 250 Low-strength pipe sealant with PTFE |
| 0893 123 HSP 1400  | 0893 09 Super-fast glue                          |
| 0893 130 400 Rust remover Rost Off Special   | 0893 090 Super-fast glue                         |
| 0893 550 000 Slide Wax   | 0893 090 0 Super-fast glue                       |
| 0893 140 Industry cleaner  | 0893 090 030 Super-fast glue                     |
| 0893 140 05 Industry cleaner   | 0893 093 090 Super-fast glue 2C                  |
| 0893 221 000 Silicone spray, silicone fluid  | 0893 093 091 Super-fast glue 2C                  |
| 0892 550 1-4 Silicone Acetate, food grade  | 0893 056 000 Multi Plus                          |
| 0893 351 000 - 022 Natural stone sealant 4 in 1  | 0893 106 202 HHS 6000 Plus                       |
| 0893 235 1-3 Bond + Seal Power   | 0893 106 203 HHS 2000 Plus                       |
| 0893 237 100 SMP adhesive sealant  | 0893 106 204 HHS 200 Plus                        |
| 0893 237 101 SMP adhesive sealant  |  |
| 0893 556 050 Sealing Compound MULTI medium str   | rength   |
|  |  |





# **TECHNICAL DATA SHEET**

### Adhesive lubricant HHS 2000® PLUS

Art. no. 0893 106 203

P. Qty.: 1 / 12

# High-pressure-resistant lubricating oil with excellent adhesive properties

| Chemical basis                           | Synthetic oil                             |  |
|--|---|--|
| Oil basis                                | Synthetic                                 |  |
| Colour                                   | Whitish                                   |  |
| Smell/fragrance                          | Characteristic                            |  |
| Density                                  | 0.855 g/ml                                |  |
| Density conditions                       | at 20°C                                   |  |
| Min. temperature conditions              | -40 °C                                    |  |
| Max. temperature conditions              | 180 °C                                    |  |
| Max. temperature resistance              | 1000 °C                                   |  |
| Min. flashing point of active ingredient | 200 °C                                    |  |
| Min. flashing point                      | 200 °C                                    |  |
| Kinematic oil basis viscosity            | 612 cSt                                   |  |
| Silicone-free                            | Yes                                       |  |
| Acid-free                                | Yes                                       |  |
| Resin-free                               | Yes                                       |  |
| Resistance against                       | Salt water, Weak lyes, Weak acids, Splash |  |
| Contents                                 | 400 ml                                    |  |
| Weight of content                        | 377 g                                     |  |
| Shelf life from production               | 24 Month                                  |  |
| Sustainability                           | Low-emission/low-pollution                |  |









### **Application area**

For professional use in high pressure applications, under high ejection forces or overhead such as on Bowden cables, bolts, joints, hinges, sliding rails, sprockets, toothed racks or open gears.



## **TECHNICAL DATA SHEET**

#### **Proof of Performance**



### Notice

Lubricant is not harmful to health, making it ideally suited for the food processing industry.

The usage instructions are recommendations based on the tests we have conducted and on our experience; carry out your own tests before each application. Due to the large number of applications and storage and processing conditions, we do not assume any liability for a specific application result. If our free customer service provides technical information or acts as an advisory service, no responsibility is assumed by this service except where the advice or information given falls within the scope of our specified, contractually agreed service or the advisor was acting deliberately. We guarantee the consistent quality of our products. We reserve the right to make technical changes and further develop products.

#### NSF International / Nonfood Compounds Registration Program

June 01, 2021

Adolf Würth GmbH & Co. KG Reinhold-Würth-Straße 12-17 74653 Künzelsau Germany

RE: 0893106203\_HHS 2000 PLUS

Category Code: H1

NSF Registration No. 164468

NSF has processed the application for Registration of **0893106203\_HHS 2000 PLUS** to the *NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds* (2021), which are available upon request by contacting <a href="NonFood@nsf.org">NonFood@nsf.org</a>. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Mark and Category Code appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<a href="https://www.nsfwhitebook.org">www.nsfwhitebook.org</a>).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <a href="www.nsfwhitebook.org">www.nsfwhitebook.org</a>. Please note the letter date reflects most recent product review. NSF utilizes annual verification to ensure no changes have been made to a registered product. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing. Please contact your NSF Account Manager or <a href="mailto:nonfood@nsf.org">nonfood@nsf.org</a> if you have any questions or concerns pertaining to this letter.

Sincerely,

Orsolya Dezsi

NSF NonFood Compound Registration Program

Company No: N11503



### **Product declaration**

| Gen. information:  |  |
|--|--|
| Supplier:  | Adolf Würth GmbH & Co. KG<br>Reinhold-Würth-Straße 12-17<br>74653 Künzelsau  |
| Article information:   |  |
| Article description:   | HHS 2000 Plus  |
| Würth art. No.:  | 0893 106 203   |
| Equipment)  EU Directive 2011/65/16  Equipment Substances Contains heavy  Yes No  Contains heavy  Yes No  Contains polybic contains polybic contains phthal  Yes No  Contains phthal  Yes No  Contains phthal  Con | ains lead (Pb) >0.1%  ains mercury (Hg) >0.1%  ains cadmium (Cd) >0.1%  ains chromium VI (Cr(VI)) >0.1%  cominated biphenyls (PBB) >0.1%  cominated diphenyl ethers (PBDE) >0.1%   |
| The candidate list of Sub<br>Authorization and Restric<br>Yes No contains substa   | stances of Very High Concern) stances of Very High Concern as defined by the REACH Regulation (Registration, Evaluation, etion of Chemicals) and its previous versions apply.  nces of the REACH candidate list (if yes, specify in Other confirmations) |



| ODS (ozone dep                                 | leting substances)  |
|--|---|
| The Montreal Protocol                          | on Substances that Deplete the Ozone Layer and its amendments apply.  |
| Yes No   |   |
| contains CF                                    |   |
| Yes No   | ons   |
|  | ontains other fully halogenated CFCs ontains carbon tetrachloride ontains 1, 1, 1-trichloroethane (methyl chloroform) ontains hydrochlorofluorocarbons ontains hydrobromofluorocarbons ontains methyl bromide ontains bromochloromethane            |
| Note: This confirmation                        | ting impairment substances)  n only applies if the product is used properly. It was only inquired whether no paint-wetting impairment   |
| mentioned substances,<br>cannot be excluded. V | during manufacturing of the product. The presence of analytically detectable traces of the above which have possibly been introduced into the product via the raw materials, auxiliaries and additives, Ve recommend a preliminary test before use. |
| Yes No  contains PIW  Yes No                   | VS (paint-wetting impairment substances)  |
|  | ontains silicone  |
| VOCs (volatile o                               | rganic compounds)   |
|  | 2/EC and 2010/75/EU apply.  |
|  | ents. If yes, which ones: HC  |
|  | er VOCs. If yes, which ones: P/B  |
| MOSH/MOAH (a                                   | imended by POSH/PAO)  |
|  | turated hydrocarbons; MOAH: mineral oil aromatic hydrocarbons; POSH: polyolefin oligomeric saturated  |
|  | rug Administration) Rule 21 CFR 178.3570, studies of the European Food Safety Authority (EFSA), studies   |
|  | for Risk Assessment (BfR) and all previous versions apply.  |
|  | as an NSF H1 approval (if no, move on to the next item, if yes, please continue)  |
|  | ains MOSH (POSH/PAO can also be detected) of the following content: <1% ains MOAH of the following content: <0,5%   |
| GMO (geneticall                                | y modified organism)  |
|  | 003 and its previous versions apply.  |
| <b>Yes No</b><br>□ ⊠ contains gen              | etically modified organisms   |



### **Allergens**

Annex II to EU Directive 1169/2011, FALCPA (Food Allergen Labeling and Consumer Protection Act), EC Regulation 1223/2009 on cosmetics and all previous versions apply.

| Yes    | No              | contains co  | reade containing aluten name house and built and the little of the littl |
|--------|-----------------|--|--|
| exce   |                 | comanis ce   | reals containing gluten, namely: wheat, rye, barley, oats, spelt, kamut or their hybridized strains, and products thereof  |
| exce   | ept:            | a) b) c) d) contains cru contains fish a) b) contains pe   | wheat-based glucose syrups including dextrose*; wheat-based maltodextrins*; glucose syrups based on barley; cereals used for making alcoholic distillates including ethyl alcohol of agricultural origin istaceans and products thereof. gs and products thereof; and products thereof, except: fish gelatine used as carrier for vitamin or carotenoid preparations; fish gelatine or isinglass used as fining agent in beer and wine. anuts and products thereof, except:  |
|        |                 | a)<br>b)<br>c)   | fully refined soybean oil and fat* natural mixed tocopherols (E306), natural D-alpha tocopherol, natural D-alpha tocopherol acetate, and natural D-alpha tocopherol succinate from soybean sources; vegetable oils derived from phytosterols and phytosterol esters from soybean sources;  |
|        | $\boxtimes$     | d)<br>contains mil<br>a)<br>b)   | plant stanol esters produced from vegetable oil sterols from soybean sources. k and products thereof (including lactose), except: whey used for making alcoholic distillates including ethyl alcohol of agricultural origin; lactitol.   |
| calcut | I, maccoding et | contains nut<br>an occidental<br>adamia or Quanty alcohol of<br>contains cel-<br>contains sus<br>contains sus<br>for products of<br>contains lup<br>contains mo<br>roducts ther<br>r the relevan | identification.  s, namely: almonds (Amygdalus communis L.), hazelnuts (Corylus avellana), walnuts (Juglans regia), cashews (e), pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), pistachio nuts (Pistacia peensland nuts (Macadamia ternifolia), and products thereof, except for nuts used for making alcoholic distillates of agricultural origin.  Bery and products thereof.  Betard and products thereof.  Behard ioxide and sulphites at concentrations of more than 10mg/liter in terms of the total SO <sub>2</sub> which are to be as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers.  Behard ins and products thereof.  Bluscs and products thereof.   |
| Yes    |                 | es No  | as an approval as a cosmetic (if no, move on to the next item, if yes, please continue) ontains substances from Annex II to EC Regulation 1223/2009 ontains substances from Annex III to EC Regulation 1223/2009 above the threshold limits  |
| BSE    | /TSE            |  |  |
| The (  |                 | ıl Journal of  | the European Union EMEA/410/01 Rev. 3, March 2011, and its previous versions apply.  |



#### Other substances

| Yes | No          |   |
|-----|-------------|---|
|     | $\boxtimes$ | contains polychlorinated dibenzodioxins and dibenzofurans PCDD/PCDF |
|     | $\boxtimes$ | contains polycyclic aromatic hydrocarbons (PAHs)                    |
|     | $\boxtimes$ | contains substances containing pentachlorophenol (PCP)              |
|     | $\boxtimes$ | contains plasticizers (if yes, specify in Other confirmations)      |
|     | $\boxtimes$ | contains substances containing PVC                                  |
|     | $\boxtimes$ | contains substances containing asbestos                             |
|     | $\boxtimes$ | contains substances/resins containing resin acid                    |
|     | $\boxtimes$ | contains substances containing or releasing formaldehyde            |
|     | $\boxtimes$ | contains azo dye  |
|     | $\boxtimes$ | contains AOXs   |
|     | $\boxtimes$ | contains dimethyl fumarate (DMF)                                    |
|     | $\boxtimes$ | contains alkylphenol ethoxylates (APEO)                             |
|     | $\boxtimes$ | contains acids (if yes, specify in Other confirmations)             |
|     | $\boxtimes$ | contains alkalis (if yes, specify in Other confirmations)           |
|     | $\boxtimes$ | contains flame retardants   |
|     | $\boxtimes$ | contains bisphenols   |
|     | $\boxtimes$ | contains nanoparticles (size: 1-100nm)                              |
|     | $\boxtimes$ | contains quaternary ammonium cation (quats)                         |
|     | $\boxtimes$ | contains chlorinated paraffins                                      |

### Other confirmations / remarks: [e.g. health-relevant DIN standards, IOS-mat, NSF certification, etc. // enclose document if available)

- The product declaration was determined in accordance with the current national and European chemical legislation.
- These statements are based on our formulations and the information provided by our suppliers during the preparation of this document. Unspecified contamination due to technical raw materials cannot be excluded

•

This document has been created electronically and is valid without signature.