

INOX

- PROGRAM VIJAKA
- NEGA
- OBRADA
- NSF ARTIKLI



VIJAK DIN 933 A2

M4x10 - M24x100



Art.br. 1096...

IMBUS VIJAK, DIN 912, CILINDRIČNA GLAVA A2

M3x6 - M12x80



Art.br. 1094...

VIJAK ZA LIM DIN 7981, RAVNA GLAVA A2

2,9x9,5 - 6,3x25



Art.br. 1119...

POP NITNA, DIN 7337, A2

3,0x8 - 4,8x16



Art.br. 61461...

ULS IMBUS VIJAK, ISO 7380, A2

M3x8 - M10x40



Art.br. 109802...

IMBUS VIJAK UPUŠTENA GLAVA ISO 10642, A2

M3x10 - M16x30



Art.br. 1100...

VIJAK ZA LIM DIN 7982, UPUŠTENA GLAVA A2

2,9x9,5 - 5,5x32



Art.br. 1123...

NAVOJNA ŠIPKA, DIN976, 1M, A2

M5x1000 - M24x1000



Art.br. 1954...

NAVRTKA DIN 934 A2

M3 - M27



Art.br. 1322...

PODLOŠKA RAVNA, DIN 125, TIP A, A2

M3 - M24



Art.br. 1409...

PODLOŠKA ELASTIČNA, DIN 127, TIP B, A2

M4 - M20



Art.br. 1447...

LEPTIR NAVRTKA, DIN 315, AMERIČKA FORMA, A2

M4 - M20



Art.br. 134400...

SAMOOSIGURAVAJUĆA NAVRTKA, DIN 985, A2

M3 - M24



Art.br. 1391...

PODLOŠKA RAVNA, DIN 9021, A2

M4 - M20



Art.br. 1419...

UKRASNA NAVRTKA, DIN 1587, A2

M3 - M16



Art.br. 1348...

SPREJ ZA NEGU PROHROMSKIH POVRŠINA, 400 ML



- Kremasta emulzija za negu koja ujedno i čisti
- Detaljno uklanja tragove od prljavštine i masne otiske prstiju.
- Moguća primena na vertikalnim površinama

Art.br. 0893121

ULJE ZA NEGU PROHROMA, 400 ML

NSF



- Neguje i štiti površine
- Daje visoki sjaj površinama
- Stvara vodoodbojan sloj preko površine na koje se nanosi
- NSF proizvod - moguća primena u prehrambenoj industriji

Art.br. 08931210

SILIKON FLUID, PODMAZIVAČ U SPREJU 400 ML

NSF



- Za podmazivanje raznorodnih materijala (plastike, gume, inox-a)
- Odbija vlagu, štiti gumene delove od zamrzavanja

Art.br. 0893221000

MULTI PLUS, PODMAZIVAČ U SPREJU 400 ML

NSF



- Silikonsko ulje
- Univerzalni sprej
- Odvijač sprej
- Kontakt sprej
- Zaštita od korozije

Art.br. 0893056000

HHS 2000 PLUS, LEPLJIVI PODMAZIVAČ U SPREJU 400 ML

NSF



- Veoma dobro prijanjanje prilikom aplikacije, pogodno za vertikalne površine jer ne kaplje sa njih
- Izuzetna otpornost na pritisak
- Širok raspon radnih temperatura (-40°C do 180°C)
- Kratkotrajna otpornost do 1000°C

Art.br. 0893106203

HHS 6000 PLUS, PODMAZIVAČ U SPREJU 400 ML

NSF



- Lako podmazivanje malih zazora
- Izuzetno razlivanje
- Smanjuje trenje pri ekstremno velikim radnim brzinama
- Izuzetno efikasno podmazuje vertikalne površine

Art.br. 0893106202

HHS 200 PLUS, LEPLJIVA MAST U SPREJU 400 ML

NSF



- Mast u spreju
- Odlična otpornost na pritisak i habanje
- Izvršna sposobnost zaprtivanja, sprečava prodor vode i prljavštine u podmazani sklop
- Kratkotrajna otpornost do 1000°C

Art.br. 0893106204

MASTER MAŠINE

ELEKTRIČNA UGAONA BRUSILICA SA POTENCIOMEROM EWS14-125 CLASSIC



- 1400W
- 125mm
- potencijometar 2800-11000o/min

Art.br. 5717054010

BATERIJSKA UGAONA BRUSILICA AWS18S, 1000W, 2X5AH



- 1000W
- 125mm
- 2x5Ah

Art.br. 5717526012

ELEKTRIČNA UGAONA BRUSILICA 1100W EAG 11-125-C



- 125mm
- 1100W
- 2m kabl

Art.br. 5717006010

BATERIJSKA BUŠILICA-ODVIJAČ ABS 18 COMBI CLASSIC, 2X5AH



- 70Nm
- 13mm
- 2x5Ah
- 18V
- kofer

Art.br. 5717521012

BATERIJSKA BUŠILICA-ODVIJAČ ABS 12 POWER CLASSIC



- 25Nm
- 10mm
- 2x2Ah
- 12V
- kofer

Art.br. 5717512012

ELEKTRIČNA VIBRACIONA BUŠILICA EDI 13-K



- 650W
- 13mm
- brzi futer
- kofer

Art.br. 5717001011

REZNE I BRUSNE PLOČE, BURGJE

REZNA PLOČA ZEBRA SPEED 115X1,0



- Zebra performanse
- Rezanje inoxa bez mnogo zagrevanja
- Precizan rez

Art.br. 0664131150

REZNA PLOČA PERFORMANCE 125X1,0



- Izuzetne performanse na tankim materijalima
- Posebno pogodna za profile i limove
- Precizne rezne ivice

Art.br. 0669531250

REZNA PLOČA RED LINE 115X1,0



Rezna ploča za sečenje punog materijala, cevi, profila i limova.

Art.br. 0669230111

CUT+COOL PASTA ZA REZANJE PERFECT, 500 ML



Art.br. 0893050010

LAMELARNI BRUSNI DISK PREMIUM



- Premium Cirkon korund lamelarni disk
- Manji unos toplote

Art.br. 0579430...

LAMELARNI BRUSNI DISK OPTIMUM 125MM



Lamelarni disk standardnih performansi za brušenje čelika i inoxa.

Art.br. 05789257...

BURGJE RED LINE



HSCo burgija za bušenje inoxa i tvrdih čelika do 1200N/mm²

Art.br. 0617400...

SET HSCO RED LINE BURGJA 19KOM 1-10MM



Art.br. 0617400001

UREZNICE HSCO ZA INOX ZA SLEPE RUPE



Art.br. 065380...

INOX ABRAZIVI, POLIRANJE

NAJLONSKI LAMELARNI DISK



Uklanjanje crnila nakon zavarivanja




Poliranje mesinga



Poliranje nerđajućeg čelika



Fino brušenje zavarenih spojeva



Prečnik u mm	Prečnik otv u mm	Max. br. obr	Granulacija/boja				Pak/kom.
			80 /gruba smeđa br. art.	180/srednja crvenkasto smeđa br. art.	280/fina plava br. art.	400 /vrlo fina siva br. art.	
115	22,23	13.300	0585311510	0585311518	0585311524	0585311540	10
125		12.200	0585312510	0585312518	0585312524	0585312540	

Art.br. 0585311...

FINI DISK ZA PREDPOLIRANJE

Presovani disk za predpoliranje za ugaone brusilice.
Prečnik 125mm.



Art.br. 5585901125

FILC LAMELARNI DISK ZA POLIRANJE

Pamučni filc lamelarni diskovi za poliranje prohroma i ostalih metala sa visokokvalitetnom završnom obradom. Uvek koristiti sa abrazivnom pastom za poliranje.



Art.br. 5585902125

PASTA ZA POLIRANJE

Plava pasta za fino poliranje do "ogledalo" sjaja. Koristi se u kombinaciji sa filc lamelarnim diskom za poliranje.



Art.br. 0673053

PROHROM SPREJ PERFECT, 400 ML



**POGLEDAJ CELU PONUDU
METAL SPREJEVA OVDE!**

Art.br. 0893114116

TABELE VELIČINA - VIJCI, POP NITNE, NAVRTKE, PODLOŠKE

VIJAK DIN 933 A2



1096...	8	10	12	14	16	20	25	30	35	40	45	50	55	60	70	80	90	100	110	120	130	150	
M3																							
M4	x	x			x	x	x	x	x	x				x									
M5		x	x		x	x	x	x	x	x													
M6		x	x		x	x	x	x	x	x		x		x	x								
M8		x	x		x	x	x	x	x	x	x	x		x	x	x							
M10					x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x
M12						x	x	x	x	x	x			x	x	x					x		
M14														x	x								
M16										x		x	x	x	x	x	x	x			x	x	
M18																							
M20															x	x	x						
M22																							
M24																							x

IMBUS VIJAK, DIN 912, CILINDRIČNI



1094...	6	8	10	12	16	20	25	30	35	40	45	50	55	60	65	70	80	90	100	110	120	130	
M3	x	x	x	x	x	x	x	x	x			x											
M4	x	x	x	x	x	x	x	x	x	x	x	x		x		x							
M5		x	x	x	x	x	x	x	x	x	x	x		x		x							
M6		x	x	x	x	x	x	x	x	x	x	x		x	x	x							
M8			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
M10				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
M12						x		x	x	x	x	x		x	x	x	x	x	x				
M14								x	x	x	x							x	x				
M16								x	x	x	x			x	x	x	x				x	x	
M18																							
M20												x		x									

IMBUS VIJAK, UPUŠTENA GLAVA ISO 10642



1100...	6	8	10	12	16	20	25	30	35	40	45	50	55	60	65	70	80	90	100	
M3	x	x	x	x	x	x	x	x												
M4	x	x	x	x	x	x	x	x	x	x		x								
M5	x	x	x	x	x	x	x	x	x	x		x		x						
M6			x	x	x	x	x	x	x	x		x		x		x				
M8			x	x	x	x	x	x	x	x		x		x		x	x		x	
M10					x	x	x	x	x	x		x		x		x	x			x
M12						x	x	x		x		x		x		x				
M14																				
M16								x				x		x		x				

ULS IMBUS VIJAK, ISO 7380, A2



109802...	6	8	10	12	16	20	25	30	35	40	45	50	55	60
M3		x	x	x		x		x						
M4	x		x	x	x		x	x						
M5		x	x	x	x	x	x	x						
M6			x	x	x	x	x	x		x		x		x
M8					x	x	x	x		x		x		x
M10						x		x		x		x		x

POP NITNA, DIN 7337, A2



61461...	6	8	10	12	16
3	x	x	x	x	
3,2		x	x	x	x
4	x	x	x	x	x
4,8		x	x	x	x

VIJAK ZA LIM DIN 7981, RAVNA GLAVA A2



1119...	9,5	13	16	19	22	25	32	38	45	50	55	60	70	80	90
2,2	x	x	x	x	x	x									
2,9	x	x	x	x	x	x	x	x							
3,5	x	x	x	x	x	x	x	x	x						
3,9	x	x	x	x	x	x	x	x	x	x					
4,2	x	x	x	x	x	x	x	x	x	x	x				
4,8	x	x	x	x	x	x	x	x	x	x	x	x			
5,5		x	x	x	x	x	x	x	x	x	x	x	x		
6,3		x	x	x	x	x	x	x	x	x	x	x	x	x	

NAVRTKE I PODLOŠKE



M..	1322...	1391...	1348...	134400...	1409...	1447...	1419...
3	x	x	x		x	x	x
4	x	x	x	x	x	x	x
5	x	x	x	x	x	x	x
6	x	x	x	x	x	x	x
8	x	x	x	x	x	x	x
10	x	x	x	x	x	x	x
12	x	x	x	x	x	x	x
14	x	x	x	x	x	x	x
16	x	x	x	x	x	x	x
18	x	x		x	x	x	x
20	x	x		x	x	x	x
24	x	x			x	x	x
27	x				x	x	x
30	x	x			x	x	x

VIJAK ZA LIM DIN 7982 A2, UPUŠTENA GLAVA



1123...	9,5	13	16	19	22	25	32	38	45	50	60
2,2	x	x									
2,9	x	x	x	x	x	x					
3,5	x	x	x	x	x	x	x	x			
3,9	x	x	x	x	x	x	x	x	x		
4,2	x	x	x	x	x	x	x	x	x	x	
4,8	x	x	x	x	x	x	x	x	x	x	x
5,5		x	x	x	x	x	x	x	x	x	x
6,3		x	x	x			x	x	x	x	x

LEGENDA

x - postoji u programu

Artikli kojih nema na stanju, biće poručeni kroz redovne porudžbine od centrale i za njih je vreme isporuke oko 2-3 sedmice.